



CorePro LEDspot MV

Corepro LEDspot 3.5–35W GU10 830 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data


General Information			
Cap-Base	GU10 [GU10]	Lamp Current (Nom)	32 mA
EU RoHS compliant	Yes	Wattage Equivalent	35 W
Nominal Lifetime (Nom)	15000 h	Starting Time (Nom)	0.5 s
Switching Cycle	50000X	Warm Up Time to 60% Light (Nom)	0.5 s
Technical Type	3.5–35W	Power Factor (Nom)	0.5
		Voltage (Nom)	220–240 V
Light Technical		Temperature	
Color Code	830 [CCT of 3000K]	T-Case Maximum (Nom)	65 °C
Beam Angle (Nom)	36 °		
Luminous Flux (Nom)	265 lm	Controls and Dimming	
Luminous Intensity (Nom)	565 cd	Dimmable	No
Color Designation	White (WH)		
Correlated Color Temperature (Nom)	3000 K	Approval and Application	
Luminous Efficacy (rated) (Nom)	75.00 lm/W	Energy Efficiency Label (EEL)	A++
Color Consistency	<6	Suitable For Accent Lighting	Yes
Color Rendering Index (Nom)	80	Energy Consumption kWh/1000 h	4 kWh
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Luminous Flux in 90° Cone (Rated)	265 lm	Product Data	
Operating and Electrical		Full product code	871869672833800
Input Frequency	50 to 60 Hz	Order product name	Corepro LEDspot 3.5–35W GU10 830 36D
Power (Nom)	3.5 W	EAN/UPC - Product	8718696728338
		Order code	929001217902

CorePro LEDspot MV

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001217902

Net Weight (Piece)	0.038 kg
--------------------	----------


Dimensional drawing




GU10 230V 4W-35W 260lm 60D 3000K GU10 ND

Product	D	C
Corepro LEDspot 3.5-35W GU10 830 36D	50 mm	54 mm

Photometric data




LEDspot,PAR38 11W 900lm 3000K



Standard Reference 111 Photometric 111 Page 17

CorePro LEDspotMV 35W GU10 830 36D CLA




CorePro LEDspotMV 35W GU10 830 36D CLA

CorePro LEDspot MV

Lifetime



CLA LEDspotMV 50W GU10 827 36D ND



CLA LEDspotMV 50W GU10 827 36D ND

