



CorePro LEDspot Reflectors

CorePro LEDspot CoreProLEDspot D 4.3-60W R50 E14 827 36D

CorePro LEDspots Reflectors are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots Reflectors deliver significant energy savings and minimize maintenance cost.

Product data


General Information		Luminous Flux in 90° Cone (Rated)	
Cap-Base	E14 [E14]	320 lm	
EU RoHS compliant	Yes	Operating and Electrical	
Nominal Lifetime (Nom)	15000 h	Input Frequency	50 to 60 Hz
Switching Cycle	50000X	Power (Nom)	4.3 W
Technical Type	4.3-60W	Lamp Current (Nom)	25 mA
Light Technical		Wattage Equivalent	60 W
Color Code	827 [CCT of 2700K]	Starting Time (Nom)	0.5 s
Beam Angle (Nom)	36 °	Warm Up Time to 60% Light (Nom)	0.5 s
Luminous Flux (Nom)	320 lm	Power Factor (Nom)	0.7
Color Designation	Warm White (WW)	Voltage (Nom)	220-240 V
Correlated Color Temperature (Nom)	2700 K	Temperature	
Luminous Efficacy (rated) (Nom)	74.00 lm/W	T-Case Maximum (Nom)	80 °C
Color Consistency	<6	Controls and Dimming	
Color Rendering Index (Nom)	80	Dimmable	Yes
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro LEDspot Reflectors

Approval and Application	
Energy Efficiency Label (EEL)	A+
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	5 kWh
Product Data	
Full product code	871869681177100
Order product name	CorePro LEDspot CoreProLEDspot D 4.3-60W R50 E14 827 36D

EAN/UPC - Product	8718696811771
Order code	929001891202
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001891202
Net Weight (Piece)	0.050 kg


Dimensional drawing




R50 220-240V5W-60W 345lm 36D 2700K E14 d

Product	D	C
CorePro LEDspot CoreProLEDspot D 4.3-60W R50 E14 827 36D	50 mm	84 mm

Photometric data




LEDspot CorePro 4.3-60W E14 R50 827 36D DIM



LEDspot CorePro 4.3-60W E14 R50 827 36D DIM


CorePro LEDspot Reflectors

Photometric data




LEDspot CorePro 1.8-30W E14 R39 827 36D ND

Lifetime



LEDspot CorePro 1.8-30W E14 R39 827 36D ND



LEDspot CorePro 1.8-30W E14 R39 827 36D ND

