



# CorePro LEDbulbs

## CorePro LED Stick ND 9.5-68W T38 E27 830

CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings and minimize maintenance cost. The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and dependable performance you expect from LED at an affordable price.

### Product data


<b>General Information</b>		<b>Lamp Current (Nom)</b>		84 mA
Cap-Base	E27 [ E27]	<b>Starting Time (Nom)</b>		0.5 s
RoHS mark	RoHS mark	<b>Warm Up Time to 60% Light (Nom)</b>		0.5 s
Nominal Lifetime (Nom)	15000 h	<b>Power Factor (Nom)</b>		0.51
Switching Cycle	50000X	<b>Voltage (Nom)</b>		220-240 V
Technical Type	9.5-68W			
<b>Light Technical</b>		<b>Temperature</b>		
Color Code	830 [ CCT of 3000K]	<b>T-Case Maximum (Nom)</b>		85 °C
Beam Angle (Nom)	240 °	<b>Controls and Dimming</b>		
Luminous Flux (Nom)	950 lm	<b>Dimmable</b>		No
Luminous Flux (Rated) (Nom)	950 lm			
Color Designation	White (WH)	<b>Mechanical and Housing</b>		
Correlated Color Temperature (Nom)	3000 K	<b>Bulb Finish</b>		Frosted
Luminous Efficacy (rated) (Nom)	100.00 lm/W			
Color Consistency	<6	<b>Approval and Application</b>		
Color Rendering Index (Nom)	80	<b>Energy Efficiency Label (EEL)</b>		A+
LLMF At End Of Nominal Lifetime (Nom)	70 %	<b>Energy Consumption kWh/1000 h</b>		10 kWh
<b>Operating and Electrical</b>		<b>Product Data</b>		
Input Frequency	50 to 60 Hz	<b>Full product code</b>		871869681451200
Power (Rated) (Nom)	9.5 W	<b>Order product name</b>		CorePro LED Stick ND 9.5-68W T38 E27 830

CorePro LEDbulbs

EAN/UPC - Product	8718696814512
Order code	929001901402
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10

Material Nr. (12NC)	929001901402
Net Weight (Piece)	0.042 kg


Dimensional drawing




Bulb 230V 9.5-68W 950lm 3000K E27 ND T3

Product	D	C
CorePro LED Stick ND 9.5-68W T38 E27 830	37.2 mm	114.3 mm


Photometric data



68W E27 Stick FR




68W E27 Stick FR 240D 830 3000K




68W E27 Stick FR 240D 830 3000K

Lifetime



68W E27 Stick FR



68W E27 Stick FR

